

**TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371**

U.S. APPLICATION NO. (If known see 37 C.F.R. 1.57)

09/674576

INTERNATIONAL APPLICATION NO.  
PCT/JP00/01304

INTERNATIONAL FILING DATE  
03 March 2000

(EARLIEST) PRIORITY DATE CLAIMED  
03 March 1999

FILE OF INVENTION

**CONTENTS SELECTION SYSTEM**

APPLICANTS FOR DO/EO/US

**Fukuharu SUDO, Makoto AKABANE and Toshitada DOI**

Applicants herewith submit to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☐ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
  - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☒ has been transmitted by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)), including 4 sheets of formal drawings and a copy of the International Search Report.
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
  - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ have been transmitted by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventors (35 U.S.C. 371(c)(4)).
10. ☐ The annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

**Items 11. to 16. below concern other document(s) or information included:**

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☐ A FIRST preliminary amendment.  
☐ A SECOND or SUBSEQUENT preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information:

PCT/ISA/210, PCT/IB/301, 304 and 308

PCT/RO/101

References for IDS

**EXPRESS MAIL**

Mailing Label Number: EL585029765US

Date of Deposit: November 1, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service

"Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents and Trademarks, Box PCT Washington, DC 20231

Charles Jackson  
(Typed or printed name of person mailing paper or fee)

Charles Jackson  
(Signature of person mailing paper or fee)

17. ☒ The following fees are submitted:

(CALCULATIONS /PTO USE ONLY)

**Basic National Fee (37 CFR 1.492(a)(1)-(5):**

Neither international preliminary examination fee (37 CFR 1.482) nor  
international search fee (37 CFR 1.445(a)(2)) paid to USPTO and  
International Search Report not prepared by the EPO or JPO... \$1000.00

International preliminary examination fee (37 C.F.R. 1.482)  
not paid to USPTO but International Search Report prepared  
by the EPO or JPO.....\$ 860.00

International preliminary examination fee paid to USPTO (37 CFR 1.482)  
Not paid to USPTO but international search fee (37 CFR 1.445(a)(2))  
paid to USPTO (37 CFR 1.445(a)(2)).....\$ 710.00

International preliminary examination fee paid to USPTO (37 CFR 1.482)  
But all claims did not satisfy provisions of PCT Article 33(1)-(4).....\$ 690.00

International preliminary examination fee paid to USPTO (37 CFR 1.482)  
and all claims satisfied provisions of PCT Article 33(1)-(4).....\$ 100.00

ENTER APPROPRIATE BASIC FEE AMOUNT = (\$ 860.00)

Surcharge of **\$130.00** for furnishing the oath or declaration later than ☐ 20 ☐ 30  
months from the earliest claimed priority date (37 CFR 1.492(e)). (\$ /

**12** Claims /Number Filed / Number Extra /Rate (

Total Claims / **12** - 20 = / **0** /X \$18.00 (\$ 0.00

Independent Claims / **4** - 3 = / **1** /X \$80.00 (\$ 80.00

Multiple dependent claim(s) (if applicable) /+ \$260.00 (\$

**TOTAL OF ABOVE CALCULATIONS = (\$ 940.00**

Reduction by 1/2 for filing by small entity, if applicable. Verified Small Entity (  
statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28). ( /

**SUBTOTAL = (\$ 940.00**

Processing fee of **\$130.00** for furnishing the English translation later than (  
☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492(f)).+ (\$ /

**TOTAL NATIONAL FEE = (\$ 940.00**

Fee for recording the enclosed assignments (37 CFR 1.21(h)). The assignment (\$ **40.00**/  
must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property + (\$ /

**TOTAL FEES ENCLOSED = (\$ 980.00**

(Amount to be: /  
(refunded /\$  
(charged /\$

- a. ☒ Our checks in the amount of **\$980.00** to cover the above fees is enclosed.  
b. ☐ Please charge my Deposit Account No. **50-0320** in the amount of \$\_\_\_\_\_ to cover the above fees.  
A duplicate copy of this sheet is enclosed.

- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any  
overpayment to Deposit Account No. **50-0320**. A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and  
granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

**WILLIAM S. FROMMER**  
**FROMMER LAWRENCE & HAUG LLP**  
**745 FIFTH AVENUE**  
**NEW YORK, NEW YORK 10151**

SIGNATURE

**WILLIAM S. FROMMER**  
NAME

**25,506**  
REGISTRATION NUMBER

Dated: **November 1, 2000**

New Patent Application filed **November 1, 2000** entitled:

**CONTENTS SELECTION SYSTEM**

corresponding to PCT Application No. PCT/JP00/01304

filed March 3, 2000

Express Mail No.: EL585029765US

Date of Deposit: November 1, 2000

I hereby certify that this application and the accompanying papers are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to:

Box PCT  
Assistant Commissioner for Patents  
Washington, D.C. 20231.

Charles Jackson

4/PRTS

09/674576

529 Rec'd PCT/PTC 01 NOV 2000

1

## Description

### Contents Selection System

#### Technical Field

This invention relates to a contents selection system, a contents selecting client, a contents selection server and a contents selecting method, in which an operator is permitted to select which contents he or she desires to acquire from a list of contents comprised of plural items received from a server over a network and which is output by the client, by the client inputting the speech information to a microphone or the like.

#### Background Art

Recently, portable terminals, such as portable telephone, in which emphasis is placed on portability, are in widespread use, such that, for improving portability, reduction in size and weight of the portable terminal has become a desideratum. In order to improve the portability in the portable terminal, an input device, such as a keyboard, has to be reduced in size or eliminated. So, in the portable terminal, a speech recognition device, which is less bulky than the conventional input device, is stirring up notice. That is, with the use of such speech recognition device, not only can the terminal itself be reduced in size, but also the terminal can be used by a user with

improved facility.

On the other hand, in the contents selection system, constructed between the server and the client, development of the digital signal processing technique in the technique of compressing data, such as speech, or in the field of broadcasting/communication, has led to realization of the service of furnishing the audio information, such as the so-called music-on-demand, referred to below as MOD.

However, if a speech recognition device is used in the portable terminal as means for recognizing the input information, it is extremely difficult to eliminate errors in speech recognition. Moreover, the probability of accurate recognition of the input audio information in the conventional speech recognition device is not that high.

Moreover, if, in the MOD service, the speech recognition device has made mistaken recognition of the speech information input for designating the music desired to be furnished, the user has to input the same speech information to the speech recognition device. In addition, since the speech recognition device cannot necessarily make correct recognition of the speech the user inputs next, the user has to input the same speech information repeatedly to the speech recognition device, thus seriously inconveniencing the user.

Moreover, if the user has specified the music etc desired to be furnished by inputting several pieces of the speech information to the speech recognition device, it may be an occurrence that plural music numbers etc are meeting with the conditions of the input speech information. In such case, it is extremely difficult to specify the

music which the user desires to be furnished.

#### Disclosure of the Invention

In view of the above-described status of the art, it is an object of the present invention to provide a contents selection system, a contents selecting client, a contents selection server and a contents selecting method, in which an operator is permitted to select which contents he or she desires to acquire from a list of contents comprised of plural items received from a server over a network and output by the client, by the client inputting the speech information to a microphone or the like.

The present invention provides a contents selection system in which a server transmits the contents selection information for having a client select the contents through a network, wherein the client has input information transmitting means for transmitting the input speech information through the network to the server and outputting means for receiving the contents selection information from the server through the network and for outputting the received contents selection information. The server includes prepared information storage means for storing one or more pieces of the preparation information pertinent to each contents, from one contents to another, contents selection information preparation means for preparing the contents selection information based on the speech information received from the client through the network and on the preparation information and contents selection information transmitting means for transmitting the contents selection information prepared by the contents selection information preparation means to the client over the network.

In this contents selection system, the client transmits the input speech information over the network to the server, which then prepares the contents selection information based on the speech information and the preparation information received from the client over the network and transmits the so-prepared contents selection information to the client over the network.

The present invention also provides a contents selection client for outputting the contents selection information for selecting contents transmitted from a server over a network, wherein the contents selection client includes input information transmitting means for transmitting the input speech information over the network to the server and outputting means for receiving the contents selection information from the server over the network to output the received contents selection information.

In this contents selection client, the input speech information is sent over the network to the server, while the contents selection information is received from the server over the network and issued as output.

The present invention also provides a contents selection server including prepared information storage means for memorizing one or more pieces of the information on each contents, from one contents to another, contents selection information preparation means for preparing the contents selection information for selecting the contents based on the speech information received from a client over a network and the preparation information and contents selection information transmitting means for transmitting the contents selection information prepared by the

contents selection information preparation means to the client over the network.

In this contents selection server, one or more pieces of the preparation information pertinent to each contents is stored from one contents to another. The contents selection information for selecting the contents is prepared on the basis of the speech information and the preparation information received over the network from the client. The so-prepared contents selection information is transmitted over the network to the client.

The present invention further provides a method for selecting contents wherein a server memorizes one or more pieces of the preparation information on each contents, from one contents to another, a client transmits the input speech information over a network to the server, the server prepares the contents selection information for selecting the contents, based on the speech information received from the client over the network and on the preparation information, and transmits the so-prepared contents selection information to the network over the network, and wherein the client receives the contents selection information over the network from the server and outputs the contents selection request information the client requests to select based on the contents selection information.

In this contents selection method, the client transmits the input speech information over the network to the server. Based on the speech information and the preparation information, received over the network from the client, the server prepares the contents selection information, received from the client over the network, and



transmits the so-prepared contents selection information over the network to the client. The client receives the contents selection information from the server over the network and outputs the contents selection request information which requests selection in accordance with the contents selection information.

### Brief Description of the Drawings

Fig.1 is a block diagram showing a contents selection system according to an embodiment of the present invention.

Fig.2 is a flowchart showing a processing flow since the start until the end of the MOD service in the first embodiment of the present invention.

Fig.3 is a flowchart showing a processing flow since the start until the end of the MOD service in a second embodiment of the present invention.

Fig.4 is a flowchart showing a processing flow since the start until the end of the MOD service in a third embodiment of the present invention.

### Best mode for Carrying out the Invention

Referring to the drawings, the best mode for carrying out the present invention is explained in detail.

The present invention is applied to a contents selection system configured as shown for example in Fig.1.

This contents selection system is used in an information furnishing service for exploiting the so-called music-on-demand (MOD) service in a network employing

e.g., the International Multimedia telecommunications-2000, referred to below as IMT-2000. Meanwhile, the IMT-2000 means a communication system which the International Telecommunication Union (ITU) adopts for digital portable telephone for the twenty-first century.

Referring to Fig.1, the contents selection system 1 includes a client 2, as the Personal Digital Assistant, referred to below as PDA, a server system 3, provided with a variety of servers, and a public base station 4, as a radio equipment in charge of doing setting of a radio network between the client 2 and the server system 3 and control through e.g., the IMT-2000, referred to below as the base station.

The client 2 includes an input unit 2a, processing e.g., the speech information input by a user, an output unit 2b for outputting e.g., the contents and the information for selecting the contents, a storage unit for clients 2c, for storing e.g., the contents selection information received from the server system 3, a communication unit 2d in charge of connection processing for establishing the connection to the server system 3 and communication processing in meeting with the communication system used by the client 2, and a controller 2e for controlling the functions of various processing units of the input unit 2a, output unit 2b, storage unit for clients 2c and the communication unit 2d.

The contents selection information means e.g., a list stating, from item to item, the information pertinent to several contents as candidates for transmission from the server system 3 to the client 2.

The input unit 2a includes a speech inputting unit, such as a microphone. The microphone of this input unit 2a furnishes the user-input speech information to the controller 2e, in order that the contents, as the music information the user is desirous to hear, will be transmitted from the server system 3. These contents are referred to below as music contents. Meanwhile, the input unit 2a may be constructed by e.g., an input device other than the speech inputting device, such as a keyboard or a jog dial.

The output unit 2b is constituted by e.g., a speech outputting unit, such as a speaker. The speaker of this output unit 2b reproduces the music contents, transmitted from e.g., the server system 3 through the communication unit 2d and the controller 2e. The communication unit 2d and the controller 2e will be explained subsequently.

The output unit 2b may also be constructed by e.g., a display device, such as a liquid crystal display. The output unit 2b may also output the contents, such as music contents, received from the server system 3, to the external terminal, by being provided with a digital output terminal, such as terminal of The Institute of Electrical and Electronics Engineers 1394, referred to below as the IEEE 1394. The output unit 2b may also output the information ancillary to contents, such as music contents, received from the server system 3, on e.g., a liquid crystal display, during the time of reproduction of these contents.

The storage unit for clients 2c is made up of a storage device that can be dismounted from the client 2, such as a memory card, mini-disc, referred to below as MD, a digital audio tape recorder, referred to below as DAT, or a storage device that

cannot be dismounted from the client 2, such as a flash memory or a hard disc. This storage unit for clients 2c stores the contents information, such as music contents or a list of the musical contents, sent from the server system 3 through the communication unit 2d and the controller 2e. The storage unit for clients 2c also memorizes a private user ID, owned by each client 2, such as a user ID for IMT-2000, and transmits this USER ID to the server system 3 through the controller 2e and the communication unit 2d, based on the control signal from the controller 2e.

The communication unit 2d is made up e.g., of a baseband portion and a radio frequency (RF) portion. This communication unit 2d transmits the input speech information, furnished from the controller 2e, to the server system 3, while receiving the contents selection information from the server system 3 to furnish the received contents selection information etc to the controller 2e.

The controller 2e is made up e.g., of a CPU. This controller 2e includes a control program for receiving e.g., the contents selection information for receiving e.g., the contents selection information from the server system 3 through the base station 4 and controls the output unit 2b, communication unit 2d and the storage unit for clients 2c on executing the control program. Meanwhile, the controller 2e is connected to the input unit 2a and performs controls in the control program based on e.g., the speech information fed from the input unit 2a.

The server system 3 includes a speech recognition server 5 for performing speech recognition on the input speech information received from the client 2, an

authentication server 6 for performing e.g., the connection authentication processing with respect to the client 2 based on the input speech information recognized by the speech recognition server 5, and a server for preparing the contents selection information 7 for preparing the contents selection information based on the input speech information recognized by the speech recognition server 5 and the preparation information as later explained. The server for preparing the contents selection information 7 is referred to below as the information preparation server. The server system 3 also includes an information purveying server 8 for transmitting to the client 2 the contents selected by the user based on the contents selection information, and a database 9 for memorizing the contents transmitted to the client 2.

When the information received through the base station 4 from the communication unit 2d of the client 2 is the speech information, the speech recognition server 5 performs speech recognition on the received speech information by an acoustic analyzer, not shown, an acoustic model and a language model. The speech recognition server 5 furnishes the speech information, which is the result of the speech recognition (recognized speech information), to the authentication server 6 or to the selection server 7, which will be explained subsequently. Meanwhile, the speech recognition server 5 may transmit the recognized speech information to the client 2 in order to have the user confirm whether or not the result of the speech recognition is accurate.

The acoustic analysis unit means a processor for extracting a sequence of

acoustic characteristic quantities from the input speech information. The acoustic model means the information for evaluating the similarity between the speech and the pattern of part or all of the sequence of acoustic characteristic quantities, using an evaluation equation for evaluating the acoustic similarity with respect to the acoustic characteristic quantities extracted by this acoustic analyzer. The language model is the information for giving the constraint on the connection to the acoustic model.

The authentication server 6 performs authentication processing for the client 2, using e.g., the Remote Authentication Dial In User Services (RADIUS), based on e.g., the recognized speech information furnished from the speech recognition server 5. The authentication server 6 performs connection processing from the client 2, using e.g., the Point to Point Protocol (PPP), based on e.g., the recognized speech information furnished from the speech recognition server 5.

The RADIUS means a dial-up connection user authentication system for a dial-in for connection to the network access server having a modem for dial-in. The PPP means a protocol for connection to the Internet over e.g., the public telephone network.

The information preparing server 7 prepares the contents selection information based on the recognized speech information furnished from the speech recognition server 5 and on the preparation information acquired from a prepared information storage unit 9b of the database 9 as later explained. That is, the information preparing server 7 prepares the contents selection information by employing several preparation methods from preparation methods for the contents selection information which will

be explained subsequently. The information preparing server 7 transmits the prepared contents selection information to the client 2 to have the user select the contents he or she desires to be furnished from the server system 3.

The information purveying server 8 receives, from the client 2, the information pertinent to e.g., the music contents selected by the user based on the contents selection information he or she received from the information preparing server 7, to acquire e.g., the music contents for transmission to the client 2 from a contents information storage unit 9c to send the music contents so acquired to the client 2,

The database 9 includes an attribute information storage unit 9a for memorizing the attribute information, such as user ID or password, a prepared information storage unit 9b for memorizing one or more pieces of the preparing information pertinent to respective contents, from contents to contents, and a contents information storage unit 9c for storing the contents for transmission to the client 2.

Meanwhile, the respective servers of the server system 3 may be the same server.

In the above-described contents selection system 1, the server system 3 receives e.g., the input speech information for preparing the contents selection information from the client 2, performs speech recognition based on the input speech information, and prepares the contents selection information based on the recognized speech information, as the input speech information, processed with speech recognition, and the preparing information, to transmit the contents selection information, so prepared,

to the client 2. The client 2 allows the user to select the music contents he or she desires to hear to transmit the information pertinent to the selected music contents to the server system 3. The server system 3 transmits e.g., music contents, as selected by the user from the contents information storage unit 9c, based on the information pertinent to the music contents received from the client 2, to the client 2, which then reproduces the transmitted contents using e.g., a speaker of the output unit 2b.

The sequence of operations from the beginning to the end of the MOD service of furnishing the music contents to the client 2 by the server system 3, in the information purveying system employing the contents selection system 1, is hereinafter explained in accordance with the flowchart shown in Fig.2.

Referring to the flowchart of Fig.2, the client 2, as a terminal for IMT-2000, at the outset issues a connection request by e.g. phoning the server system 3 through the base station 4 employing the IMT-2000 data network. Subsequently, the client 2 establishes the connection to the server system 3. That is, in the flowchart of Fig.2, explanation is made beginning from the state in which the connection between the client 2 and the server system 3 has been established.

First, at step S1 of Fig.2, when the user inputs the service start request information for utilizing the MOD service to a microphone of the input unit 2a provided on the client 2, the controller 2e is furnished from the input unit 2a with the service start request information (service start request speech information), as the speech information fed to the input unit 2a. The controller 2e sends the service start



request speech information, furnished from the input unit 2a, to the communication unit 2d, which then sends the service start request speech information through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the service start request speech information, received from the communication unit 2d through the base station 4, by an acoustic analyzer, an acoustic model and by a language model, not shown. The speech recognition server 5 then furnishes the service start request speech information (referred to below as recognition service start request speech information) to the authentication server 6.

When fed from the speech recognition server 5 with the recognition service start request speech information, the authentication server 6 sends to the client 2 the user authentication request information, requesting the user to input the user ID and the password to the input unit 2a by speech etc. It is noted that the user ID and the password mean the information for authenticating whether or not the user in possession of the client has rights to use the MOD service.

The controller 2e causes the user authentication request information, received from the authentication server 6 through the communication unit 2d, to be output as speech at e.g., a speaker of the output unit 2b.

When the user at step S2 inputs the user ID and the password by speech to e.g., a microphone of the input unit 2a, in accordance with the user authentication request information, output as speech at e.g., the speaker of the output unit 2b, the user ID and

the password, as the speech information fed to the input unit 2a, are fed to the input unit 2a of the controller 2e. The communication unit 2d sends the user ID and the password through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition of the user ID and the password, which is the result of speech recognition, to the authentication server 6. The user ID and the password, representing the result of speech recognition, are sometimes referred to below as the recognized user ID– password.

The authentication server 6 acquires the user ID and the password from the attribute information storage unit 9a of the database 9 and executes authentication processing for authenticating the recognized user ID– password, supplied from the authentication server 6, based on the so-acquired user ID and the password.

If this authentication is not possible, the authentication server 6 sends the service start non-permitting information to the client 2. Based on this service start non-permitting information, received from the authentication server 6 through the communication unit 2d, the controller 2e outputs the effect that the MOD service is not started at e.g., the speaker of the output unit 2b as speech. If the user has learned the effect of non-starting of the MOD service from e.g., the speech from the speaker, and again inputs by speech the user ID and the password correctly in e.g., the microphone of the input unit 2a, the user ID and the password, as the speech information again input to the input unit 2a, are fed from the input unit 2a to the

controller 2e.

If the above authentication has been achieved successfully, the authentication server 6 sends the authentication success information to the information preparing server 7 for notifying that authentication has been achieved successfully. If fed with the authentication success information from the authentication server 6, the information preparing server 7 sends the service start permission information and the title input request information, requesting the user to input the title of the music number, to the client 2. The controller 2e causes the service start permission information and the title input request information, received from the information preparing server 7 through the communication unit 2d, to be issued as speech output to e.g., the speaker of the output unit 2b. The processing then moves to step S3.

After the user has learned the service start permission information and the title input request information from the speaker etc, the speech information of the user pertinent to the title of the musical number desired by the user to be furnished at e.g., the microphone of the input unit 2a from the server system 3 is sent to the input unit 2a of the controller 2e. This speech information is referred to below as the title speech information. The controller 2e sends to the communication unit 2d the title speech information furnished to the input unit 2a. The communication unit 2d transmits the title speech information so furnished through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition of the title speech

information received through the communication unit 2d through the base station 4. The speech recognition server 5 sends the title speech information, which is the result of the speech recognition, referred to below as the recognized title speech information, to the information preparing server 7.

At the next step S4, the information preparing server 7 prepares the information for contents selection pertinent to the musical number desired to be furnished from the server system 3, based on the recognized title speech information furnished from the speech recognition server 5 and on the preparation information for one or more titles acquired from the prepared information storage unit 9b. The contents selection information and the preparation information are referred to below as the musical number contents selection information and the title preparation information, respectively.

Specifically, the information preparing server 7 calculates the similarity between the recognized title speech information in the acoustic characteristic quantities and each title preparation information, concerning the title of the musical number that can be furnished by the information purveying system and that is stored in the prepared information storage unit 9b, using a preparation information calculation processor, not shown. This information preparing server 7 calculates the similarity of each title preparation information, stored in the prepared information storage unit 9b, to the recognized title speech information in the acoustic characteristic quantities and each title preparation information. This information preparing server 7 verifies a musical

number, for which the calculated value exceeds a pre-set threshold value  $X$ , to be a candidate for the musical number the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the title preparation information, the calculated value for which has exceeded the threshold value  $X$ , is less than a constant  $N$ , the processing moves to step S8.

If conversely the number of the musical numbers corresponding to the title preparation information, the calculated value for which has exceeded the threshold value  $X$ , is not less than a constant  $N$ , the information preparing server 7 transmits a performer name input request information, requesting the user to input the name of the performer of the musical number, to the client 2, in order to narrow down the number of the candidate musical numbers. The controller 2e causes the performer name input request information, received from the information preparing server 7 through the communication unit 2d, to be issued as speech output at e.g., the speaker of the output unit 2b. The processing then moves to step S5.

After the user has learned the performer name input request information from the speaker etc, the speech information of the user pertinent to the name of a performer of the musical number desired by the user to be furnished at e.g., the microphone of the input unit 2a from the server system 3 (performer name) is sent to the input unit 2a of the controller 2e. This speech information is referred to below as the performer name speech information. This speech information is referred to below

as the title speech information. The controller 2e sends the performer name speech information, furnished to the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the performer name speech information so furnished through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition of the performer name speech information received through the communication unit 2d through the base station 4. The speech recognition server 5 sends the performer name speech information, which is the result of the speech recognition, referred to below as the recognized performer name speech information, to the information preparing server 7.

At the next step S6, the information preparing server 7 prepares the information for music number contents selection, based on the recognized performer name speech information furnished from the speech recognition server 5 and on the preparation information for one or more performers acquired from the prepared information storage unit 9b of the database 9 (performer name preparation information). It is noted that the performer name preparation information in this case means only the preparation information pertinent to the performer name acquired from among the information pertinent to the performer name the calculated value for which has exceeded the threshold value X in narrowing down the candidates based on the music number titles. Therefore, the prepared information storage unit 9b memorizes the titles, performer names and the genres pertinent to the respective titles as the contents.

Specifically, the information preparing server 7 calculates the similarity between the recognized performer name speech information in the acoustic characteristic quantities and each performer name preparation information, concerning the title of the musical number that can be furnished by the information purveying system, stored in the prepared information storage unit 9b, using a preparation information calculation processor, not shown. This information preparing server 7 calculates the similarity of each performer name preparation information, stored in the prepared information storage unit 9b, to the recognized performer name speech information in the acoustic characteristic. This information preparing server 7 verifies a musical number, for which the calculated value exceeds a pre-set threshold value X, as being a candidate for the musical number the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the title preparation information, the calculated value for which has exceeded the threshold value X, is less than a constant N, that is if the numbers of the musical numbers corresponding to the title preparation information and the performer name preparation information, the calculated values for which have exceeded the threshold value X in case of using both the title and the performer name, is less than the constant N, the processing moves to step S8.

If conversely the number of the musical numbers corresponding to the

performer name preparation information, the calculated value for which has exceeded the threshold value  $X$ , in case of using both the title and the performer name is not less than the constant  $N$ , the information preparing server 7 transmits a genre input request information, requesting the user to input the genre of the musical number, to the client 2, in order to narrow down the number of the candidate musical numbers. The controller 2e causes the genre input request information, received from the information preparing server 7 through the communication unit 2d, to be issued as speech output at e.g., the speaker of the output unit 2b. The processing then moves to step S7.

After the user has learned the genre input request information from the speaker etc, the speech information of the user pertinent to the genre of the musical number desired by the user to be furnished at e.g., the microphone of the input unit 2a from the server system 3 (performer name) is sent to the input unit 2a of the controller 2e. This speech information is referred to below as the genre speech information. The controller 2e sends the genre speech information, furnished to the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the genre speech information so furnished through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition of the genre speech information received through the communication unit 2d through the base station 4. The speech recognition server 5 sends the genre speech information, which



is the result of the speech recognition, referred to below as the recognized genre speech information, to the information preparing server 7.

The information preparing server 7 prepares the music number contents selection information, based on the recognized genre speech information supplied from the speech recognition server 5, and on the one or more genre preparation information acquired from the prepared information storage unit 9b of the database 9. It is noted that the genre preparation information in this case means only the preparation information pertinent to the genre as acquired from among the information pertinent to the genre the calculated value for which has exceeded the threshold value X in narrowing down the candidates based on the music number titles and the performer name.

Specifically, the information preparing server 7 calculates the similarity between the recognized genre speech information in the acoustic characteristic quantities and each genre preparation information, concerning the genre of the musical number that can be furnished by the information purveying system, stored in the prepared information storage unit 9b, using a preparation information calculation processor, not shown. This information preparing server 7 calculates the similarity of each genre preparation information, stored in the prepared information storage unit 9b, to the recognized genre speech information in the acoustic characteristic quantities. This information preparing server 7 verifies a musical number, for which the calculated value exceeds a pre-set threshold value X, as being a candidate for the musical number

the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the title preparation information, the calculated value for which has exceeded the threshold value  $X$ , is less than a constant  $N$ , that is if the numbers of the musical numbers corresponding to the title preparation information, performer name preparation information and the genre preparation information, the calculated values for which have exceeded the threshold value  $X$  in case of using the title, performer name and the genre, is less than the constant  $N$ , the processing moves to step S8.

If conversely the number of the musical numbers corresponding to the title preparation information, performer name preparation information and the genre preparation information, the calculated values for which are not less than the constant  $N$ , the information preparing server 7 sequentially transmits  $N$  musical numbers, beginning from the musical number the calculated value for which is closest to the genre speech information, to the client 2. Thus, the processing also transfers in this case to step S8.

The, at step S8, if the number of the musical numbers corresponding to the preparation information the calculated value for which has exceeded threshold value  $X$ , is not less than the constant  $N$ , and the information preparing server 7 has sent the music number contents selection information to the client 2, the controller 2e causes  $N$  music number contents selection information to be output as speech at e.g., a speaker of the output unit 2b in a sequence of decreasing similarity to the genre speech

information of the corresponding calculated values received from the information preparing server 7 through the communication unit 2d.

In this case, the controller 2e utilizes e.g., an average value of the calculated values pertinent to the title, performer name and the genre, to cause the music number contents selection information, such as a list of N musical numbers, arrayed in the order of decreasing similarity to the input speech information, to be output as speech at e.g., the speaker of the output unit 2b.

On the other hand, if the number of the musical numbers corresponding to the preparation information the calculated value for which has exceeded threshold value X, is not less than the constant N, and the information preparing server 7 has sent the music number contents selection information to the client 2, the controller 2e causes not larger than N music number contents selection information, received at e.g., the speaker of the output unit 2b, to be output as speech at e.g., a speaker of the output unit 2b.

In this case, the controller 2e utilizes e.g., an average value of the calculated values pertinent to the title, performer name and the genre, to cause the music number contents selection information, arrayed in the order of decreasing similarity to the input speech information, to be output as speech at e.g., the speaker of the output unit 2b.

Meanwhile, the music number contents selection information means the entire information, which may prove the result with respect to the speech information input

by the user, such as name of the musical number, part of the musical number, performer name, name of a tied-up drama, name of the program in which the musical number is aired, or the name of the composer.. The controller 2e may output this music number contents selection information to the output unit 2b as the text or video information, using e.g., the liquid crystal display.

Then, at step S9, after the user has heard the music number contents selection information from e.g., a speaker, the speech information, corresponding to the information pertinent to the musical number selected by the user from a list of the musical numbers, as the music number contents selection information, and which is input as speech at e.g., the microphone of the input unit 2a, is furnished at the input unit 2a of the controller 2e.

Specifically, the speech information, which indicates the number allocated to the item of the list of the musical numbers as the music number contents selection information, is fed from the input unit 2a to the controller 2e.

The speech information, corresponding to the name of the musical number, as the music number contents selection information, input to the inputting unit 2a, is fed from the input unit 2a to the controller 2e.

Moreover, if the output unit 2b is sequentially outputting the list of the musical numbers, as the music number contents selection information, by speech, and the user is desirous to select the musical number currently output by speech, the controller 2e is fed from the input unit 2a with the speech information, such as [this musical

number] or [OK] input as speech at the input unit 2a. The input unit 2a may be constructed by a key input device or a jog dial.

If the output unit 2b is sequentially outputting a portion of the musical number as the music number contents selection information and the user is desirous to select the currently reproduced musical number, the controller 2e is fed from the input unit 2a with the speech information, such as [this number] or [OK] input as speech at the input unit 2a. The input unit 2a may again be constructed by a key input device or a jog dial.

If the client 2 has downloaded a list of the musical numbers, conforming to the user's liking, from the server system 3, at the outset, the name of the musical number selected by the user from the list and which is input as speech to the input unit 2a is furnished from the input unit 2a to the controller 2e. The list of the musical numbers, conforming to the user's taste, may also be previously set by the user.

By the above-described operations, the musical number, which the user is desirous to be furnished from the server system 3, is selected from the list etc of the musical numbers as the music number contents selection information.

Then, at step S10, the speech information pertinent to the musical number input at the input unit 2a and which has been selected from the list of the musical numbers is fed from the input unit 2a to the controller 2e. This speech information is referred to below as the selected speech information. The controller 2e sends the selected speech information to the communication unit 2d, which then transmits the selected

speech information to the speech recognition server 5 of the server system 3 through the base station 4.

The speech recognition server 5 then performs the speech recognition on the selected speech information received through the base station 4 from the communication unit 2d. The speech recognition server 5 sends the selected speech information, which is the result of speech recognition, to the client 2. The selected speech information, which is the result of speech recognition, is referred to below as the recognized selected speech information.

The controller 2e causes the recognized selected speech information, received from the speech recognition server 5 through the communication unit 2d, to be output as speech to e.g., the speaker of the output unit 2b. The user hears this recognized selected speech information from e.g., the speaker to confirm that the musical number he or she has selected has been correctly recognized by the server system 3.

Then, at step S11, the information purveying server 8 acquires the contents, such as music to be transmitted to the client 2, from the contents information storage unit 9c, based on the recognized selected speech information furnished from the speech recognition server 5, to transmit the so-acquired contents to the client 2. The controller 2e causes the speaker of the output unit 2b to reproduce the contents, such as music, received from the information purveying server 8 through the communication unit 2d.

Then, at step S12, the reproduction of the contents from the output unit 2b

comes to a close. If the user continues to utilize the MOD service, the processing reverts to step S3.

On the other hand, if the user has input the service end request information for terminating the use of the MOD service by speech with e.g., the microphone of the input unit 2a, the controller 2e is fed from the input unit 2a with the service end request information, as the speech information fed to the input unit 2a. The service end request information, as the speech information, is referred to below as the service end request speech information. The controller 2e furnishes the service end request speech information, supplied from the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the service end request speech information through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the service end request speech information, received through the base station 4 from the communication unit 2d, by an acoustic analyzer, an acoustic model and on a language model, not shown. The speech recognition server 5 then furnishes the service end request speech information (referred to below as recognized service end request speech information) to the information preparing server 7.

When fed with the service end request speech information from the speech recognition server 5, the information preparing server 7 sends the service end permission information as speech to the client 2.

The controller 2e causes the service end permission information, received from

the information preparing server 7 through the communication unit 2d, to be output as speech at e.g., a speaker of the controller 2e.

The user hears the service end permission information as speech from the speaker etc to recognize the end of the MOD service.

By the above processing, the user is able to accept the MOD service from the server system 3.

In the above-described sequence of operations, employing the flowchart shown in Fig.2, the input unit 2a is e.g., a microphone fed with the information with speech. Similarly, the picture and the speech can be output simultaneously using the speaker or the liquid crystal display etc.

In the sequence of operations, shown in the flowchart of Fig.2, the speech recognition server 5 sends the recognized speech information directly to the authentication server 6 or to the information preparing server 7. Alternatively, the recognized speech information may also be transmitted to the client 2 in order to have the user confirm whether or not the result of speech recognition is correct.

If the user has recognized that the recognized speech information received from the speech recognition server 5 and output by speech via the speaker was in error, the controller 2e may be fed from the input unit 2a with the speech information comprising the speech information such as "cancel" or "re-try" re-fed by the user correctly to the input unit 2a. Of course, the controller 2e may be fed from the input unit 2a with the speech information comprising the information re-input correctly to the input unit 2a



by the user pressing the [clear key].

In the sequence of operations by the flowchart shown in Fig.2, the service is started by the user inputting the service start request information to the input unit 2a with speech. Alternatively, the service may be started when the client 2 phones the server system 3 to establish the connection.

If, in the sequence of operations of the flowchart shown in Fig.2, the use of the MOD service is to be terminated during use of the MOD service in the information purveying system employing the contents selection system 1, the controller 2e may be fed from the input unit 2a with the speech information comprising the disconnect speech information commanding the disconnection from the network and which is re-input by the user to the input unit 2a to interrupt the connection with respect to the server system 3 through the base station 4 to terminate the MOD service. Of course, the user may input an [end-key], not shown, of the input unit 2a to interrupt the connection with the server system 3 through the base station 4 to terminate the MOD service.

Moreover, the controller 2e may be fed at step S2 of the flowchart of Fig.2 with the user ID and the password, fed by the user as the speech to the input unit 2a, from this input unit 2a. However, the controller 2e of the client 2 for e.g., the IMT-2000 may be fed at the input unit 2a with only the password input by the user with speech to the input unit 2a, because each client 2 for the IMT-2000 holds the user ID different from those of other clients from the outset.

In the information purveying system, employing the contents selection system 1 exploiting the method other than the above-described method for preparing the musical number contents selection information, the sequence of operations from the start until the end of the MOD service is explained with reference to the flowchart of Fig.3. This processing differs from the above-described processing in that it is up to the server system 3 to verify with which information input next time the contents selection information can be prepared promptly to have the user input the verified information.

Referring to the flowchart of Fig.3, the client 2, as a terminal for IMT-2000, at the outset issues a connection request by e.g. phoning the server system 3 through the base station 4 employing the IMT-2000 data network. Subsequently, the client 2 establishes the connection to the server system 3. That is, in the flowchart of Fig.3, explanation is made beginning from the state in which the connection between the client 2 and the server system 3 has been established.

The processing in the second embodiment shown in Fig.3 is similar to that in the processing shown in Fig.2, except that the processing from step S4 to step S8 in the flowchart of Fig.2 is replaced by the processing from step S24 to step S33 in the flowchart of Fig.3.

First, if the user inputs the service start request information to e.g., a microphone of the input unit 2a provided on the client 2 with speech, the controller 2e

is fed from the input unit 2a with the service start request speech information fed to the input unit 2a. The controller 2e furnishes the service start request speech information, sent from the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the service start request speech information through the base station 4 to the speech recognition server 5 of the server system 3. The speech recognition server 5 performs speech recognition on the service end request speech information, received through the base station 4 from the communication unit 2d, by an acoustic analyzer, an acoustic model and on a language model, not shown. The speech recognition server 5 then furnishes the recognized service start request speech information, which is the result of the speech recognition, to the authentication server 6.

When fed from the speech recognition server 5 with the recognized service start request speech information, the authentication server 6 transmits to the client 2 the user authentication request information, requesting the user to input the user ID and the password by speech to the input unit 2a. The user ID and the password is used in order to verify whether or not the user owning the client 2 has the right to exploit the MOD service.

The controller 2e causes the user authentication request information, received from the authentication server 6 through the communication unit 2d, to be output as speech to e.g., a speaker of the output unit 2b.

If the user at step S22 inputs the user ID and the password by speech to the

microphone of the input unit 2a, in accordance with the user authentication request information, output as speech from the speaker of the output unit 2b, the controller 2e is fed from the input unit 2a with the user ID and the password as the speech information fed to the input unit 2a. The controller 2e sends the user ID and the password, supplied from the input unit 2a, to the communication unit 2d, which then transmits the user ID and the password supplied thereto through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the user ID and the password received from the communication unit 2d through the base station 4. The speech recognition server 5 furnishes the recognized user ID and the password, which is the result of the speech recognition, to the authentication server 6.

The authentication server 6 acquires the user ID and the password from the attribute information storage unit 9a of the database 9 and performs the authentication processing of the recognized user ID and the password, supplied from the speech recognition server 5, based on the so-acquired user ID and the password.

If this authentication is not possible, the authentication server 6 sends the service start non-permitting information to the client 2. Based on this service start non-permitting information, received from the authentication server 6 through the communication unit 2d, the controller 2e outputs the effect that the MOD service is not started at e.g., the speaker of the output unit 2b as speech. If the user has learned the effect of non-starting of the MOD service from e.g., the message from the speaker,

and again inputs by speech the user ID and the password correctly in e.g., the microphone of the input unit 2a, the user ID and the password, as the speech information again input to the input unit 2a, are fed from the input unit 2a to the controller 2e.

If the above authentication has been achieved successfully, the authentication server 6 sends the authentication success information to the information preparing server 7 for notifying that authentication has been achieved successfully. If fed with the authentication success information from the authentication server 6, the information preparing server 7 sends the service start permission information and the title input request information, requesting the user to input the title of the music number, to the client 2. The controller 2e causes the service start permission information and the title input request information, received from the information preparing server 7 through the communication unit 2d, to be issued as speech output to e.g., the speaker of the output unit 2b. The processing then moves to step S23. After the user has learned the service start permission information at step S23, the title speech information, input by the user by speech over the microphone of the input unit 2a, is sent from the input unit 2a to the controller 2e. The controller 2e sends to the communication unit 2d the title speech information furnished to the input unit 2a. The communication unit 2d transmits the title speech information so furnished through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition of the title speech

information received through the communication unit 2d through the base station 4. The speech recognition server 5 sends the recognized title speech information, which is the result of the speech recognition, to the information preparing server 7.

At the next step S24, the information preparing server 7 prepares the musical number contents selection information, based on the recognized title speech information furnished from the speech recognition server 5 and on the title preparation information for one or more titles acquired from the prepared information storage unit 9b of the database 9.

Specifically, the information preparing server 7 calculates the similarity between the recognized title speech information in the acoustic characteristic quantities and each title preparation information, concerning the title of the musical number that can be furnished by the information purveying system, stored in the prepared information storage unit 9b, using a preparation information calculation processor, not shown. This information preparing server 7 calculates the similarity of each title preparation information, stored in the prepared information storage unit 9b, to the recognized title speech information in the acoustic characteristic quantities. This information preparing server 7 verifies a musical number, for which the calculated value exceeds a pre-set threshold value X, as being a candidate for the musical number the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the title preparation information, the calculated value for which has exceeded the threshold value X, is less

than a constant  $N$ , the processing moves to step S33.

If at step S25 the number of the musical numbers corresponding to the title preparation information, the calculated value for which has exceeded the threshold value  $X$ , is not less than a constant  $N$ , the information preparing server 7 acquires and uses the preparation information as speech of the performer name and the genre pertinent to the candidate determined from the title input information from the prepared information storage unit 9b to calculate the variations of the preparation information for the performer name and that of the genre from one category to another. Meanwhile, there are occasions where narrowing down of the number of the candidate musical numbers can be achieved more quickly the larger the degree of variations with respect to the input speech information from the user.

If, at step S26, the degree of variations of the speech information for the genre is larger, the information preparing server 7 transmits the genre request information to the client 2. The controller 2e causes the genre input request information, received from the information preparing server 7 through the communication unit 2d and the controller 2e, to the speaker of the output unit 2b as speech. The processing then moves to step S30.

If the degree of variations of the speech information for the performer name is larger, the information preparing server 7 transmits the performer name input request information to the client 2. The controller 2e causes the performer name input request information, received from the information preparing server 7 through the

communication unit 2d, to e.g., the speaker of the output unit 2b as speech. The processing then moves to step S27.

After the user has learned the service start permission information at step S27, the speech information on the performer name input by the user by speech over the microphone of the input unit 2a, is sent from the input unit 2a to the controller 2e. The speech information on the performer name is referred to below as the performer name speech information. The controller 2e sends to the communication unit 2d the performer name speech information furnished from the input unit 2a. The communication unit 2d transmits the performer name speech information so furnished through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition of the performer name speech information received through the communication unit 2d through the base station 4. The speech recognition server 5 sends the recognized performer name speech information, which is the result of the speech recognition, to the information preparing server 7.

At the next step S28, the information preparing server 7 prepares the musical number contents selection information, based on the recognized title speech information furnished from the speech recognition server 5 and on the title preparation information for one or more pieces of the performer name preparation information acquired from the prepared information storage unit 9b of the database 9. It is noted that the performer name preparation information means only the performer name



related preparation information acquired from among the information the calculated values of which have exceeded the threshold value  $X$  on title-based narrowing down. Therefore, the prepared information storage unit 9b memorizes the title, performer name, genre etc pertinent to each musical number as the contents. Specifically, the information preparing server 7 calculates the similarity between the recognized performer name speech information in the acoustic characteristic quantities and each performer name preparation information, concerning the performer name of the musical number that can be furnished by the information purveying system, and that is stored in the prepared information storage unit 9b, using a preparation information calculation processor, not shown. This information preparing server 7 calculates the similarity of each performer name preparation information, stored in the prepared information storage unit 9b, to the recognized performer name speech information in the acoustic characteristic quantities. This information preparing server 7 verifies a musical number, for which the calculated value exceeds a pre-set threshold value  $X$ , as being a candidate for the musical number the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the performer name preparation information, the calculated value for which has exceeded the threshold value  $X$ , is less than a constant  $N$ , that is if the number of musical numbers corresponding to the title preparation information and the performer name preparation information, for which the calculated values have exceeded the threshold value  $X$  in

case of using both the title and the performer name, is not larger than the constant N, the processing moves to step S33. If conversely the number of musical numbers corresponding to the title preparation information and the performer name preparation information, for which the calculated values have exceeded the threshold value X in case of using both the title and the performer name, is larger than the constant N, the information preparing server 7 transmits the input request information, requesting the user to input the genre of the musical number, to the client 2, in order to narrow down the number of the candidate musical numbers. The controller 2e causes the genre inputting request information, received from the information preparing server 7 through the communication unit 2d, to be output as speech at the speaker of the output unit 2b. The processing then moves to step S29.

Then, at step S29, after the user hears the genre inputting request information at the speaker, the controller 2e is fed from the input unit 2a with the genre speech information, input as speech by the user at the speaker of the output unit 2b. The controller 2e is fed from the input unit 2a with the genre speech information input by the user as speech at the microphone of the input unit 2a. The controller 2e furnishes the genre speech information, fed from the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the furnished genre speech information through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the genre speech information received from the communication unit 2d through the base station

4. The speech recognition server 5 sends the recognized genre speech information, which is the result of this speech recognition, to the information preparing server 7.

The information preparing server 7 prepares the musical number contents selection information, based in the genre speech information furnished from the speech recognition server 5 and one or more genre preparation information acquired from the prepared information storage unit 9b of the database 9. It is noted that the genre preparation information in this case means only the preparation information pertinent to the genre acquired from among the information the calculated values for which on narrowing down by the title and the performer name have exceeded the threshold value X.

Specifically, the information preparing server 7 calculates the similarity of each genre preparation information, pertinent to the genre of the musical numbers that can be purveyed by the information purveying system and that is stored in the prepared information storage unit 9b, to the recognized title speech information in the acoustic characteristic quantities, using a preparation information calculating unit, not shown. This information preparing server 7 calculates similarity of each genre preparation information stored in the prepared information storage unit 9b with respect to the recognized genre speech information in the acoustic characteristic quantities. This information preparing server 7 verifies a musical number, for which the calculated value exceeds a pre-set threshold value X, as being a candidate for the musical number the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the performer name preparation information, the calculated value for which has exceeded the threshold value  $X$ , is less than a constant  $N$ , that is if the number of musical numbers corresponding to the title preparation information, performer name preparation information and the genre preparation information, for which the calculated values have exceeded the threshold value  $X$  in case of using the title, performer name and the genre, is less than the constant  $N$ , the processing moves to step S33.

If conversely the number of musical numbers corresponding to the title preparation information, performer name preparation information and the genre preparation information, for which the calculated values have exceeded the threshold value  $X$  in case of using the title, performer name and the genre, is not less than the constant  $N$ , the information preparing server 7 sequentially transmits  $N$  musical numbers, in the order of decreasing similarity to the genre speech information, to the client 2. That is, in this case, the processing again moves to step S33.

At steps S30 to S32, the processing similar to that in the steps S27 to S29 is carried out, except that, in these steps S30 to S32, the inputting is by speech in the sequence of the genre and the performer name.

Then, at step S33, if the number of the musical numbers corresponding to the genre preparation information the calculated values for which have exceeded the threshold value  $X$ , is lesser than the constant  $N$ , and the information preparing server 7 has sent the musical number contents selection information to the client 2, the

controller 2e causes not more than N musical number contents selecting information, received from the information preparing server 7 through the communication unit 2d, to be output as speech at the speaker of the output unit 2b.

In this case, the controller 2e utilizes e.g., an average value of the calculated values pertinent to the title, performer name and the genre, to cause a list etc of the music number contents selection information, arrayed in the order of decreasing similarity to the input speech information, to be output as speech at e.g., the speaker of the output unit 2b.

Meanwhile, the music number contents selection information means the entire information, which may prove the result to the speech information input by the user, such as name of the musical number, part of the musical number, performer name, name of a tied-up drama, name of the program in which the musical number is aired, or the name of the composer of the musical number. The controller 2e may output this music number contents selection information to the output unit 2b as the text or video information, using e.g., the liquid crystal display.

On the other hand, if the number of the musical numbers corresponding to the genre preparation information the calculated values for which have exceeded the threshold value X, is not less than the constant N, and the information preparing server 7 has sent the musical number contents selection information to the client 2, the controller 2e causes N musical number contents selection information, received from the information preparing server 7 through the communication unit 2d, arrayed in the

sequence of the decreasing similarity to the genre speech information, to be output as speech at e.g., the speaker of the output unit 2b.

In this case, the controller 2e utilizes e.g., an average value of the calculated values pertinent to the title, performer name and the genre, to cause a list etc of the music number contents selection information, arrayed in the order of decreasing similarity to the input speech information, to be output as speech at e.g., the speaker of the output unit 2b.

Then, at step S34, after the user has heard the music number contents selection information from e.g., a speaker, the speech information, corresponding to the information pertinent to the musical number selected by the user from a list of the musical numbers, as the music number contents selection information, and which is input as speech at e.g., the microphone of the input unit 2a, is furnished at the input unit 2a of the controller 2e.

Specifically, the speech information, which indicates the number allocated to the item of the list of the musical numbers as the music number contents selection information, is fed from the input unit 2a to the controller 2e.

The speech information, corresponding to the name of the musical number, as the music number contents selection information, input to the inputting unit 2a as speech, is fed from the input unit 2a to the controller 2e.

Moreover, if the output unit 2b is sequentially outputting the list of the musical numbers, as the music number contents selection information, by speech, and the user

is desirous to select the musical number currently output by speech, the controller 2e is fed from the input unit 2a with the speech information, such as [this number] or [OK] input as speech at the input unit 2a. In this case, the input unit 2a may be constructed by a key input device or a jog dial.

If the output unit 2b is sequentially outputting a portion of the musical number as the music number contents selection information and the user is desirous to select the currently reproduced musical number, the controller 2e is fed from the input unit 2a with the speech information, such as [this number] or [OK] input as speech at the input unit 2a. The input unit 2a may again be constructed by a key input device or a jog dial.

If the client 2 at the outset has downloaded a list of the musical numbers, conforming to the user's liking, from the server system 3, the name of the musical number selected by the user from the list and which is input as speech to the input unit 2a is furnished from the input unit 2a to the controller 2e. The list of the musical numbers, conforming to the user's taste, may also be previously set by the user.

By the above-described operations, the musical number, which the user is desirous to be furnished from the server system 3, is selected from the list etc of the musical numbers as the music number contents selection information.

Then, at step S35, the selected speech information, input at the input unit 2a is fed from the input unit 2a to the controller 2e. This speech information is referred to

below as the selected speech information. The controller 2e sends the selected speech information. Furnished from the input unit 2a, to the communication unit 2d, which then transmits the selected speech information as furnished to the speech recognition server 5 of the server system 3 through the base station 4.

The speech recognition server 5 then performs the speech recognition on the selected speech information received through the base station 4 from the communication unit 2d. The speech recognition server 5 sends the selected speech information, which is the result of speech recognition, to the client 2.

The controller 2e causes the recognized selected speech information, received from the speech recognition server 5 through the communication unit 2d, to be output as speech to e.g., the speaker of the output unit 2b. The user hears this recognized selected speech information from e.g., the speaker to confirm that the musical number he or she has selected has been correctly recognized by the server system 3.

Then, at step S36, the information purveying server 8 acquires the contents, such as music, to be transmitted to the client 2, from the contents information storage unit 9c, based on the recognized selected speech information furnished from the speech recognition server 5, to transmit the so-acquired contents to the client 2. The controller 2e causes the speaker of the output unit 2b to reproduce the contents, such as music, received from the information purveying server 8 through the communication unit 2d.

Then, at step S37, the reproduction of the contents from the output unit 2b



comes to a close. If the user continues to utilize the MOD service, the processing reverts to step S3.

On the other hand, if the user has input the service end request information for terminating the use of the MOD service by speech with e.g., the microphone of the input unit 2a, the controller 2e is fed from the input unit 2a with the service end request speech information input to the input unit 2a. The controller 2e furnishes the service end request speech information, supplied from the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the service end request speech information through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the service end request speech information, received through the base station 4 from the communication unit 2d, by an acoustic analyzer, an acoustic model and on a language model, not shown. The speech recognition server 5 then furnishes the service end request speech information to the information preparing server 7.

When fed with the service end request speech information from the speech recognition server 5, the information preparing server 7 sends the service end permission information as speech to the client 2.

The controller 2e causes the service end permission information, received from the information preparing server 7 through the communication unit 2d, to be output as speech at e.g., a speaker of the controller 2e.

The user hears the service end permission information as speech from the speaker etc to recognize the end of the MOD service.

By the above processing, in which the server system 3 verifies which information input next enables the contents selection information to be prepared quickly, the user is able to receive the MOD service from the server system 3 more quickly and more accurately than with the contents selection system of the first embodiment described above. The sequence of operations as from the start until the end of the MOD service, in the information purveying system employing an outputting method other than the above-described method of outputting the list of candidate musical numbers, is explained with reference to the flowchart of Fig.4. This processing differs from the above-described processing in that the server system 3 verifies which list of the musical numbers as the musical number contents selection information is to be output to enable the user to select the target number readily, with the list of the musical numbers being output based on this decision.

Referring to the flowchart of Fig.4, the client 2, as a terminal for IMT-2000, at the outset issues a connection request by e.g. phoning the server system 3 through the base station 4 employing the IMT-2000 data network. Subsequently, the client 2 establishes the connection to the server system 3. That is, in the flowchart of Fig.3, explanation is made beginning from the state in which the connection between the client 2 and the server system 3 has been established.

The processing in the second embodiment shown in Fig.4 is similar to that in

the processing shown in Fig.2, except that the processing from step S4 to step S8 in the flowchart of Fig.2 is replaced by the processing from step S44 to step S55 in the flowchart of Fig.4.

First, if the user inputs the service start request information to e.g., a microphone of the input unit 2a provided on the client 2 with speech, the controller 2e is fed from the input unit 2a with the service start request speech information fed to the input unit 2a. The controller 2e furnishes the service start request speech information, sent from the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the service start request speech information through the base station 4 to the speech recognition server 5 of the server system 3. The speech recognition server 5 performs speech recognition on the service end request speech information, received through the base station 4 from the communication unit 2d, by an acoustic analyzer, an acoustic model and on a language model, not shown. The speech recognition server 5 then furnishes the recognized service start request speech information, which is the result of the speech recognition, to the authentication server 6.

When fed from the speech recognition server 5 with the recognized service start request speech information, the authentication server 6 transmits to the client 2 the user authentication request information, requesting the user owning the client 2 to input the user ID and the password by speech to the input unit 2a. The user ID and the password are used in order to verify whether or not the user owning the client 2 has

the right to exploit the MOD service.

The controller 2e causes the user authentication request information, received from the authentication server 6 through the communication unit 2d, to be output as speech to e.g., a speaker of the output unit 2b.

If the user at step S42 inputs the user ID and the password by speech to the microphone of the input unit 2a, in accordance with the user authentication request information, output as speech from the speaker of the output unit 2b, the controller 2e is fed from the input unit 2a with the user ID and the password as the speech information fed to the input unit 2a. The controller 2e sends the user ID and the password, supplied from the input unit 2a, to the communication unit 2d, which then transmits the user ID and the password supplied thereto through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the user ID and the password received from the communication unit 2d through the base station 4. The speech recognition server 5 furnishes the recognized user ID and the password, which is the result of the speech recognition, to the authentication server 6.

The authentication server 6 acquires the user ID and the password from the attribute information storage unit 9a of the database 9 and performs the authentication processing on the recognized user ID and the password, supplied from the speech recognition server 5, based on the so-acquired user ID and the password.

If this authentication is not possible, the authentication server 6 sends the

service start non-permitting information to the client 2. Based on this service start non-permitting information, received from the authentication server 6 through the communication unit 2d, the controller 2e outputs the effect that the MOD service is not started based on the service start non-permitting information at e.g., the speaker of the output unit 2b as speech. If the user has learned the effect of non-starting of the MOD service from e.g., the message from the speaker, and again inputs by speech the user ID and the password correctly in e.g., the microphone of the input unit 2a, the user ID and the password, as the speech information again input to the input unit 2a, are fed from the input unit 2a to the controller 2e.

If the above authentication has been achieved successfully, the authentication server 6 sends the authentication success information to the information preparing server 7 for notifying that authentication has been achieved successfully. If fed with the authentication success information from the authentication server 6, the information preparing server 7 sends the service start permission information and the title input request information, requesting the user to input the title of the music number, to the client 2. The controller 2e causes the service start permission information and the title input request information, received from the information preparing server 7 through the communication unit 2d, to be issued as speech output to e.g., the speaker of the output unit 2b. The processing then moves to step S43. After the user has learned the service start permission information and the title inputting request information at e.g., the speaker, the title speech information, input

by the user by speech over the microphone of the input unit 2a, is sent from the input unit 2a to the controller 2e. The controller 2e sends to the communication unit 2d the title speech information furnished to the input unit 2a. The communication unit 2d transmits the title speech information so furnished through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the title speech information received through the communication unit 2d through the base station 4. The speech recognition server 5 sends the recognized title speech information, which is the result of the speech recognition, to the information preparing server 7.

Specifically, the information preparing server 7 at step S44 calculates the similarity of the recognized title speech information in the acoustic characteristic quantities, to one or more title preparation information, using a preparation information calculating unit, not shown. This information preparing server 7 calculates similarity of each title preparation information stored in the prepared information storage unit 9b to the recognized genre speech information in the acoustic characteristic quantities. This information preparing server 7 verifies a musical number, for which the calculated value exceeds a pre-set threshold value X, as being a candidate for the musical number the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the title preparation information, the calculated value for which has exceeded the threshold value X, is less

than a constant  $N$ , the processing moves to step S48, in order for the information preparing server 7 to prepare the musical number contents selection information, as a list of candidate musical numbers.

On the other hand, if the number of the musical numbers corresponding to the title preparation information, the calculated value for which has exceeded the threshold value  $X$ , is not less than the constant  $N$ , the information preparing server 7 transmits the performer name input request information, requesting the user to input the name of the performer of the musical number to the client, in order to narrow down the number of the candidate musical numbers. The controller 2e causes the performer name input request information, received from the information preparing server 7 through the communication unit 2d, to be output as speech at e.g., a speaker of the output unit 2b. The processing then moves to step S45.

Then, at step S45, after the user hears the performer name inputting request information at the speaker, the controller 2e is fed from the input unit 2a with the performer name speech information, input as speech by the user at the speaker of the output unit 2b. The controller 2e is fed from the input unit 2a with the performer name speech information input by the user as speech at the microphone of the input unit 2a. The controller 2e furnishes the genre speech information, fed from the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the furnished genre speech information through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the genre speech information received from the communication unit 2d through the base station 4. The speech recognition server 5 sends the recognized genre speech information, which is the result of this speech recognition, to the information preparing server 7.

The information preparing server 7 then calculates at step S46 the similarity of the recognized performer name speech information in the acoustic characteristic quantities, to one or more performer name preparation information, pertinent to the performer name of the musical number, that is stored in the prepared information storage unit 9b and that can be purveyed by the information purveying system, using a preparation information calculating unit, not shown. This information preparing server 7 calculates similarity of each performer name preparation information stored in the prepared information storage unit 9b to the recognized performer name speech information in the acoustic characteristic quantities. This information preparing server 7 verifies a musical number, for which the calculated value exceeds a pre-set threshold value X, as being a candidate for the musical number the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the performer name preparation information, the calculated value for which has exceeded the threshold value X, is less than a constant N, that is if the number of musical numbers corresponding to the title preparation information and to the performer name preparation information, for which the calculated values have exceeded the threshold



value X in case of using both title and the performer name, is less than the constant N, the processing moves to step S48, in order for the information preparing server 7 to prepare the musical number contents selection information as a list of the candidate musical numbers.

If conversely the number of musical numbers corresponding to the title preparation information and the performer name preparation information, for which the calculated values have exceeded the threshold value X in case of using the title and the performer name, is not less than the constant N, the information preparing server 7 transmits the genre input request information requesting the user to input the genre of the musical number in order to narrow down the number of the candidate musical numbers. The controller 2e causes the genre input request information, received from the information preparing server 7 through the communication unit 2d, to be output as speech at e.g., a speaker of the output unit 2b. The processing then moves to step S47.

Then, at step S47, after the user hears the genre inputting request information at the speaker, the controller 2e is fed from the input unit 2a with the genre speech information, input as speech by the user at the microphone of the input unit 2a. The controller 2e furnishes the genre speech information, fed from the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the furnished genre speech information through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the genre speech information received from the communication unit 2d through the base station 4. The speech recognition server 5 sends the recognized genre speech information, which is the result of this speech recognition, to the information preparing server 7.

The information preparing server 7 then calculates the similarity of the recognized genre speech information in the acoustic characteristic quantities to one or more genre preparation information, pertinent to the genre of the musical number, that is stored in the prepared information storage unit 9b and that can be purveyed by the information purveying system, using a preparation information calculating unit, not shown. This information preparing server 7 calculates similarity of each genre preparation information stored in the prepared information storage unit 9b to the recognized genre speech information in the acoustic characteristic quantities. This information preparing server 7 verifies a musical number, for which the calculated value exceeds a pre-set threshold value X, as being a candidate for the musical number the user desires to be furnished from the server system 3.

If the number of the musical numbers corresponding to the genre preparation information, the calculated value for which has exceeded the threshold value X, is less than a constant N, that is if the number of musical numbers corresponding to the title preparation information, performer name preparation information and to the genre preparation information, for which the calculated values have exceeded the threshold value X in case of using the title, performer name and the genre, is less than the

constant  $N$ , the processing moves to step S48, in order for the information preparing server 7 to prepare the musical number contents selection information as a list of the candidate musical numbers.

If conversely the number of musical numbers corresponding to the title preparation information, performer name preparation information and the genre preparation information, for which the calculated values have exceeded the threshold value  $X$  in case of using the title, performer name and the genre, is not less than the constant  $N$ , the processing moves to step S48, in order for the information preparing server 7 to prepare the musical number contents selection information as a list of the candidate musical numbers. It is noted that the musical number contents selection information in this case is sequentially made up of  $N$  items in the order of the decreasing similarity to the genre speech information.

If, at step S48, the number of the musical numbers corresponding to the preparation information the calculated value for which has exceeded the threshold value  $X$  is less than the constant  $N$ , the information preparing server 7 prepares the musical number contents selection information which is a list of less than  $N$  candidate musical numbers. On the other hand, if the number of the musical numbers, corresponding to the above-mentioned preparation information, the calculated value for which exceeds the threshold value  $X$ , is not less than  $N$ , the information preparing server 7 prepares the musical number contents selection information which is a list of  $N$  candidate musical numbers sequentially acquired in the sequence of the decreasing

similarity of the calculated values to the genre speech information.

Then, at step S49, the information preparing server 7 checks whether or not the prepared musical number contents selection information had better be output by text as e.g., the text representation for facility in selection of the musical number by the user, using an optimum outputting state check unit, not shown. If the information preparing server 7 has not given a decision that the output as text is optimum, the processing moves to step S51.

On the other hand, the information preparing server 7 checks whether or not the prepared musical number contents selection information had better be output by text by e.g., the text representation for facility in selection of the musical number by the user, using an optimum outputting state check unit, not shown. If the information preparing server 7 has given a decision that the output as text is optimum, the information preparing server 7 transmits the musical number contents selection information for outputting the text to the client 2. If, at step S50, the number of the musical numbers corresponding to the preparation information the calculated value for which has exceeded the threshold value X is less than the constant N, and the information preparing server 7 has sent the musical number contents selection information to the client 2, the controller 2e causes less than N musical number contents selection information, received from the information preparing server 7 through the communication unit 2d, to be demonstrated as text on a liquid crystal display of the output unit 2b.

On the other hand, if the number of the musical numbers corresponding to the preparation information, the calculated value for which has exceeded the threshold value  $X$  is not less than the constant number  $N$ , and the information preparing server 7 has sent the musical number contents selection information to the client 2, the controller 2e causes the  $M$  musical number contents selection information received from the information preparing server 7 through the information preparing server 7 to be demonstrated as text on e.g., a liquid crystal display of the output unit 2b in the sequence of the decreasing similarity to the genre speech information.

Then, at step S51, the information preparing server 7 checks whether or not the the prepared musical number contents selection information had better be output as a still image for facility in selection of the musical number by the user, using an optimum outputting state check unit, not shown. If the information preparing server 7 has not given a decision that the output as still image is optimum, the processing moves to step S53.

On the other hand, the information preparing server 7 checks whether or not the prepared musical number contents selection information had better be output by a still image by e.g., a jacket photo of a CD for facility in selection of the musical number by the user, using an optimum outputting state check unit, not shown. If the information preparing server 7 has given a decision that the output as a still image is optimum, the information preparing server 7 transmits the musical number contents selection information for outputting the still image is transmitted to the client 2.

If, at step S52, the number of the musical numbers corresponding to the preparation information the calculated value for which has exceeded the threshold value X is less than the constant N, and the information preparing server 7 has sent the musical number contents selection information to the client 2, the controller 2e causes less than N musical number contents selection information, received from the information preparing server 7 through the communication unit 2d, to be demonstrated as still image on a liquid crystal display of the output unit 2b.

On the other hand, if the number of the musical numbers corresponding to the preparation information, the calculated value for which has exceeded the threshold value X is not less than the constant number N, and the information preparing server 7 has sent the musical number contents selection information to the client 2, the controller 2e causes the N musical number contents selection information, received from the information preparing server 7 through the information preparing server 7, to be demonstrated as still image on e.g., a liquid crystal display of the output unit 2b in the sequence of the decreasing similarity to the genre speech information.

Then, at step S53, the information preparing server 7 checks whether or not the the prepared musical number contents selection information had better be output as a moving picture, such as with Video Clip, for facility in selection of the musical number by the user, using an optimum outputting state check unit, not shown. If the information preparing server 7 has given a decision that the output as still image is optimum, the processing moves to step S53.

On the other hand, the information preparing server 7 checks whether or not the prepared musical number contents selection information had better be output by a moving picture for facility in selection of the musical number by the user, using an optimum outputting state check unit, not shown. If the information preparing server 7 has not given a decision that the output as a still image is optimum, the processing moves to step S53.

If, at step S54, the number of the musical numbers corresponding to the preparation information, the calculated value for which has exceeded the threshold value  $X$  is less than the constant  $N$ , and the information preparing server 7 has sent the musical number contents selection information to the client 2, the controller 2e causes less than  $N$  musical number contents selection information, received from the information preparing server 7 through the communication unit 2d and the controller 2e, to be demonstrated as moving picture on a liquid crystal display of the output unit 2b.

On the other hand, if the number of the musical numbers corresponding to the preparation information, the calculated value for which has exceeded the threshold value  $X$ , is not less than the constant number  $N$ , and the information preparing server 7 has sent the musical number contents selection information to the client 2, the controller 2e causes the  $N$  musical number contents selection information, received from the information preparing server 7 through the communication unit 2d, to be demonstrated as still image on e.g., a liquid crystal display of the output unit 2b in the

sequence of the decreasing similarity to the genre speech information.

Then, if, at step S55, the number of the musical numbers, the calculated values for which have exceeded the threshold value X, is less than the constant N, and the information preparing server 7 sends the musical number contents selection information to the client 2, the controller 2e causes less than N pieces of the musical number contents selection information, received from the information preparing server 7 through the communication unit 2d, to be output as musical number as speech to e.g., a speaker of the output unit 2b.

On the other hand, if the number of the musical numbers, the calculated values for which have exceeded the threshold value X, is not less than the constant N, and the information preparing server 7 sends the musical number contents selection information to the client 2, the controller 2e causes the not less than N pieces of the musical number contents selection information, received from the information preparing server 7 through the communication unit 2d, to be output as speech at e.g., a speaker of the output unit 2b, in the sequence of the decreasing similarity to the genre speech information.

Then, at step S56, after the user hears the musical number contents selection information at the speaker, the controller 2e is fed from the input unit 2a with the speech information, input as speech by the user at the microphone of the input unit 2a.

This speech information is the information pertinent to the musical number selected by the user from the list of the musical numbers as the musical number contents



selection information.

Specifically, the speech information, which indicates the number allocated to the item of the list of the musical numbers as the music number contents selection information, is fed from the input unit 2a to the controller 2e.

The speech information, corresponding to the name of the musical number, as the music number contents selection information, input to the inputting unit 2a as speech, is fed from the input unit 2a to the controller 2e.

Moreover, if the output unit 2b is sequentially outputting the list of the musical numbers, as the music number contents selection information, by speech, and the user is desirous to select the musical number currently output by speech, the controller 2e is fed from the input unit 2a with the speech information, such as [this number] or [OK] input as speech at the input unit 2a. In this case, the input unit 2a may be constructed by a key input device or a jog dial.

If the output unit 2b is sequentially outputting plural portions of the musical number as the music number contents selection information, and the user is desirous to select the currently reproduced musical number, the controller 2e is fed from the input unit 2a with the speech information, such as [this number] or [OK] input as speech at the input unit 2a. The input unit 2a may again be constructed by a key input device or a jog dial.

If the client 2 at the outset has downloaded a list of the musical numbers, conforming to the user's liking, from the server system 3, the name of the musical

number selected by the user from the list and which is input as speech to the input unit 2a is furnished from the input unit 2a to the controller 2e. The list of the musical numbers, conforming to the user's taste, may also be previously set by the user.

By the above-described operations, the musical number, which the user is desirous to be furnished from the server system 3, is selected from the list etc of the musical numbers as the music number contents selection information.

Then, at step S57, the selected speech information, input at the input unit 2a, is fed from the input unit 2a to the controller 2e. This speech information is referred to below as the selected speech information. The controller 2e sends the selected speech information, furnished from the input unit 2a, to the communication unit 2d, which then transmits the selected speech information as furnished to the speech recognition server 5 of the server system 3 through the base station 4.

The speech recognition server 5 then performs the speech recognition on the selected speech information received through the base station 4 from the communication unit 2d. The speech recognition server 5 sends the selected speech information, which is the result of speech recognition, to the client 2.

The controller 2e causes the recognized selected speech information, received from the speech recognition server 5 through the communication unit 2d, to be output as speech to e.g., the speaker of the output unit 2b. The user hears this recognized selected speech information from e.g., the speaker to confirm that the musical number he or she has selected has been correctly recognized by the server system 3.

Then, at step S58, the information purveying server 8 acquires the contents, such as music, to be transmitted to the client 2, from the contents information storage unit 9c, based on the recognized selected speech information furnished from the speech recognition server 5, to transmit the so-acquired contents to the client 2. The controller 2e causes the speaker of the output unit 2b to reproduce the contents, such as music, received from the information purveying server 8 through the communication unit 2d.

Then, at step S59, the reproduction of the contents from the output unit 2b comes to a close. If the user continues to utilize the MOD service, the processing reverts to step S3.

On the other hand, if the user has input the service end request information for terminating the use of the MOD service by speech with e.g., the microphone of the input unit 2a, the controller 2e is fed from the input unit 2a with the service end request speech information input to the input unit 2a. The controller 2e furnishes the service end request speech information, supplied from the input unit 2a, to the communication unit 2d. The communication unit 2d transmits the service end request speech information through the base station 4 to the speech recognition server 5 of the server system 3.

The speech recognition server 5 performs speech recognition on the service end request speech information, received through the base station 4 from the communication unit 2d, by an acoustic analyzer, an acoustic model and on a language

model, not shown. The speech recognition server 5 then furnishes the service end request speech information to the information preparing server 7.

When fed with the service end request speech information from the speech recognition server 5, the information preparing server 7 sends the service end permission information as speech to the client 2.

The controller 2e causes the service end permission information, received from the information preparing server 7 through the communication unit 2d, to be output as speech at e.g., a speaker of the controller 2e.

The user hears the service end permission information as speech from the speaker etc to recognize the end of the MOD service.

By the above processing, in which the server system 3 verifies which list of the musical numbers as the musical number contents selection information output next enables the user to readily select the targeted musical number. So, the user is able to select the targeted musical number more readily and more quickly from the list of the musical number contents selection information.

In the contents selection system 1, as the first embodiment of the present invention, the user is able to select the targeted musical number readily from the list of the musical numbers output at the output unit 2b by inputting the speech information at a microphone of the input unit 2a. Therefore, the user employing the client 2 or the server system 3 provided with the speech recognition device is able to utilize the MOD service by a simplified operation.

In the above-described contents selection system 1, the network is constructed using the IMT-2000. However, networks of other communication systems can also be used. Although only one client 2 is shown in Fig.1, plural clients 2 are in effect connected through the IMT-2000 to the server system 3. Moreover, the above-described speech recognizing function, provided on the speech recognition server 5,, may be provided on the client 2.

### Industrial Applicability

In the above-described contents selection system, contents selection client, contents selection server and the contents selection method, the operator is able to input the speech information to the input information transmission means of the client to select the targeted contents more promptly and readily from the contents output to the output means.

## Claims

1. A contents selection system in which a server transmits the contents selection information for having a client select the contents through a network, wherein

said client has input information transmitting means for transmitting the input speech information through said network to said server and outputting means for receiving the contents selection information from said server through said network and for outputting the received contents selection information;

said server including prepared information storage means for storing one or more pieces of the preparation information pertinent to each contents, from one contents to another, contents selection information preparation means for preparing said contents selection information based on the speech information received from said client through said network and on said preparation information and contents selection information transmitting means for transmitting said contents selection information prepared by said contents selection information preparation means to said client over said network.

2. The contents selection system according to claim 1 wherein said client includes speech recognition means for performing speech recognition on said speech information input to said input information transmitting means; wherein

said input information transmitting means transmitting the recognized speech information processed with speech recognition by said speech recognition means to said server; and wherein

said contents selection information preparation means preparing said contents selection information based on said recognized speech information and on said preparation information received from said client.

3. The contents selection system according to claim 1 wherein said server includes speech recognition means for recognizing the speech of said speech information received from said client over the network; and wherein

said contents selection information preparation means prepares said contents selection information based on the speech information recognized by said speech recognition means and said preparation information.

4. The contents selection system according to claim 1 wherein said prepared information storage means memorizes the preparation information made up of the speech information; and wherein

said contents selection information preparation means calculates the similarity between said speech information in an acoustic characteristic quantities and each said preparation information memorized in said prepared information storage means; if the number of contents corresponding to the preparation information the calculated value of similarity for which has exceeded a pre-set threshold value is not less than a pre-set number, said contents selection information preparation means acquires the speech information different from the first-stated speech information to repeat the similarity calculation thereon; and wherein if the number of contents corresponding to the preparation information the calculated value of similarity for which has exceeded a

pre-set threshold value is less than said pre-set number, said contents selection information preparation means prepares the contents selection information for said contents corresponding to said preparation information the similarity value for which has exceeded said pre-set threshold value.

5. The contents selection system according to claim 1 wherein said contents selection information preparation means calculates the similarity between said speech information in an acoustic characteristic quantities and each said preparation information memorized in said prepared information storage means; if the number of contents corresponding to the preparation information the calculated value of similarity for which has exceeded a pre-set threshold value is not less than a pre-set number, said contents selection information preparation means calculates variations from one category to another of said preparation information to prepare the contents selection information based on the preparation information of the category having the maximum variations; and wherein if the number of contents corresponding to the preparation information the calculated value of similarity for which has exceeded a pre-set threshold value is less than a pre-set number, said contents selection information preparation means prepares the contents selection information on said contents corresponding to said preparation information the calculated value of similarity for which has exceeded said pre-set threshold value.

6. The contents selection system according to claim 2 wherein said speech recognition means includes means for verifying whether or not the speech recognition



on said speech information has been made correctly; if the speech recognition is verified by said verification means to be made correctly, said speech information, processed with speech recognition, is output; if the speech recognition is verified by said verification means not to be made correctly, speech recognition input to said input information transmitting means is again performed to output the speech information processed with said speech recognition;

said input information transmitting means transmits the speech information processed with speech recognition by said speech recognition means to said server; and wherein

said contents selection information preparation means prepares said contents selection information based on the recognized speech information received from said client and on said preparation information.

7. The contents selection system according to claim 3 wherein said speech recognition means includes means for verifying whether or not the speech recognition on said speech information has been made correctly; if the speech recognition is verified by said verification means to be made correctly, said speech information, processed with speech recognition, is output; if the speech recognition is verified by said verification means not to be made correctly, speech recognition is again performed on the speech information received over the network from said client to output the speech information processed with said speech recognition; and wherein

said contents selection information preparation means prepares said contents

selection information based on the speech information processed with speech recognition by said speech recognition means and on said preparation information.

8. A contents selection client for outputting the contents selection information for selecting contents transmitted from a server over a network, said contents selection client comprising:

input information transmitting means for transmitting the input speech information over said network to said server; and

outputting means for receiving said contents selection information from said server over said network to output the received contents selection information.

9. The contents selection client according to claim 8 wherein said input information transmitting means includes speech recognition means for performing speech recognition on the input speech information and wherein the recognized speech information, processed with speech recognition by said speech recognition means, is transmitted to said server.

10. A contents selection server comprising:

prepared information storage means for memorizing one or more pieces of the information on each contents, from one contents to another;

contents selection information preparation means for preparing the contents selection information for selecting said contents based on the speech information received from a client over a network and said preparation information; and

contents selection information transmitting means for transmitting said contents

selection information prepared by said contents selection information preparation means to said client over said network.

11. The contents selection server according to claim 10 further comprising:

speech recognition means for performing speech recognition on said speech information received from said client over said network;

said contents selection information preparation means preparing said contents selection information based on the speech information processed with speech recognition by said speech recognition means and on said preparation information.

12. A method for selecting contents wherein

a server memorizes one or more pieces of the preparation information on each contents, from one contents to another;

a client transmits the input speech information over a network to said server;

said server prepares the contents selection information for selecting said contents, based on the speech information received from said client over said network and on said preparation information, and transmits the so-prepared contents selection information to said network over said network; and wherein

said client receives said contents selection information over said network from said server and outputs the contents selection request information the client requests to select based on said contents selection information.

## Abstract

A client 2 includes a transmission unit 2d for transmitting the input speech information over a network to a server system 3 and an output unit 2b for receiving the contents selection information from the server system 3 over the network to output the received information. The server system 3 includes a prepared information storage unit 9b for memorizing one or more pieces of the preparation information pertinent to each contents, from one contents to another, and an information preparing server 7 for preparing the contents selection information based on the speech information received from the client 2 over the network and on the preparation information to send the so-prepared contents selection information to the client 3 over the network.





FIG.1

**FIG.2**

3/4




FIG.3

4/4




FIG.4



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

## Declaration and Power of Attorney for Patent Application

### 特許出願宣言書及び委任状

#### Japanese Language Declaration

#### 日本語宣言書

私は、以下に記名された発明者として、ここに下記の通り宣言する：

As a below names inventor, I hereby declare that:

私の住所、郵便の宛先そして国籍は、私の氏名の後に記載された通りである。

My residence, post office address and citizenship are as stated next to my name:

下記の名称の発明について、特許請求範囲に記載され、且つ特許が求められている発明主題に関して、私は、最初、最先且つ唯一の発明者である（唯一の氏名が記載されている場合）か、或いは最初、最先且つ共同発明者である（複数の氏名が記載されている場合）と信じている。

I believe I am the original, first and sole inventor(if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

#### CONTENTS SELECTION SYSTEM

the specification of which is attached hereto unless the following box is checked:

上記発明の明細書はここに添付されているが、下記の欄がチェックされている場合は、この限りでない：

X was filed on March 3, 2000  
as United States Application Number of  
PCT International Application Number PCT/JP00/01304  
\_\_\_\_\_ and was amended on  
\_\_\_\_\_ (if applicable).

☐ \_\_\_\_\_ の日に出願され、  
この出願の米国出願番号またはPCT国際出願番号は、  
\_\_\_\_\_ であり、且つ  
\_\_\_\_\_ の日に補正された出願（該当する場合）

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、上記の補正書によって補正された、特許請求範囲を含む上記明細書を検討し、且つ内容を理解していることをここに表明する。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

私は、連邦規則法典第37編規則1.56に定義されている、特許性について重要な情報を開示する義務があることを認める。

Burden Hour Statement This form is estimated to take 0.4 hours to complete. Time will vary depending upon the need of the individual case. Any comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231

Japanese Language Declaration

日本語宣言書

私は、ここに、以下に記載した外国での特許出願または発明者証の出願、或いは米国以外の少なくとも一国を指定している米国法典第35編第365条(a)によるPCT国際出願について、同第119条(a)-(d)項又は第365条(b)項に基づいて優先権を主張するとともに、優先権を主張する本出願の出願日より前の出願日を有する外国での特許出願または発明者証の出願、或いはPCT国際出願については、いかなる出願も、下記の枠内をチェックすることにより示した。

I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT international application having a filing date before that of the application for which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

外国での先行出願

優先権主張なし

11-056107

Japan

03 March 1999

☐

(Number)

(Country)

(Day/Month/Year Filed)

(番号)

(国名)

PCT/JP00/01304

PCT

03 March 2000

☐

(Number)

(Country)

(Day/Month/Year Filed)

(番号)

(国名)

(Number)

(Country)

(Day/Month/Year Filed)

(番号)

(国名)

(Number)

(Country)

(Day/Month/Year Filed)

(番号)

(国名)

(Number)

(Country)

(Day/Month/Year Filed)

(番号)

(国名)

(Number)

(Country)

(Day/Month/Year Filed)

(番号)

(国名)

私は、ここに、下記のいかなる米国仮特許出願についても、その米国法典第35編第119条(e)項の利益を主張する。

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)

(Filing Date)

(Application No.)

(Filing Date)

(出願番号)

(出願日)

(出願番号)

(出願日)

私は、ここに、下記のいかなる米国出願についても、その米国法典第35編第120条に基づく利益を主張し、又米国を指定するいかなるPCT国際出願についても、その同第365条(c)に基づく利益を主張する。また、本出願の各特許請求の範囲の主題が、米国法典第35編第112条第1段に規定された態様で、先行する米国出願又はPCT国際出願に開示されていない場合においては、その先行出願の出願日と本国内出願日またはPCT国際出願日との間の期間中に入手された情報で、連邦規則法典第37編規則1.56に定義された特許性に関わる重要な情報について開示義務があることを承認する。

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT international application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of application.

(Application No.)

(Filing Date)

(Status: Patented, Pending, Abandoned)

(出願番号)

(出願日)

(現況: 特許許可、係属中、放棄)

私は、ここに表明された私自身の知識に係わる陳述が真実であり、且つ情報と信ずることに基づく陳述が、真実であると信じられることを宣言し、さらに、故意に虚偽の陳述などを行った場合は、米国法典第18編第1001条に基づき、罰金または拘禁、若しくはその両方により処罰され、またそのような故意による虚偽の陳述は、本出願またはそれに対して発行されるいかなる特許も、その有効性に問題が生ずることを理解した上で陳述が行われたことを、ここに宣言する。

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration

日本語宣言書

委任状： 私は本出願を審査する手続を行い、且つ米国特許商標庁との全ての業務を遂行するために、記名された発明者として、下記の弁護士及び/または弁理士を任命する。(氏名及び登録番号を記載すること)

書類送付先

直通電話連絡先：(氏名及び電話番号)

唯一または第一発明者氏名

発明者の署名

日付

住所

国籍

郵便の宛先

第二共同発明者がいる場合、その氏名

第二共同発明者の署名

日付

住所

国籍

郵便の宛先

(第三以下の共同発明者についても同様に記載し、署名をすること)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact al business in the Patent and Trademark Office connected therewith (list name and registration number)

2 WILLIAM S. FROMMER, Registration No. 25,506 and  
DENNIS M. SMID, Registration No. 34,930

Send Correspondence to:  
WILLIAM S. FROMMER, Esq.  
c/o FROMMER LAWRENCE & HAUG LLP  
745 Fifth Avenue  
New York, New York 10151

Direct Telephone Calls to:  
(212) 588-0800  
to the attention of:  
WILLIAM S. FROMMER

Full name of sole or first inventor

1-00 Fukuharu SUDO  
inventor's signature

Date

October 13, 2000

Residence

Tokyo, Japan JPX  
Citizenship

Japan

Post Office Address

c/o Sony Corporation, 7-35, Kitashinagawa 6-chome,  
Shinagawa-ku, Tokyo 141-0001 Japan

full name of second joint inventor, if any

2-00 Makoto AKABANE

Second Inventor's signature

Date

Makoto Akabane

October 17, 2000

Residence

Tokyo, Japan JPX  
Citizenship

Japan

Post Office Address

c/o Sony Corporation, 7-35, Kitashinagawa 6-chome,  
Shinagawa-ku, Tokyo 141-0001 Japan

(Supply similar information and signature for third and subsequent joint inventors)

Japanese Language Declaration

日本語宣言書

委任状：私は本出願を審査する手続きを行い、且つ米国特許商標庁との全ての業務を遂行するために、記名された発明者として、下記の弁護士及び/または弁理士を任命する。(氏名及び登録番号を記載すること)

書類送付先

直通電話連絡先：(氏名及び電話番号)

第三共同発明者がいる場合、その氏名

第三共同発明者の署名

日付

住所

国籍

郵便の宛先

第四共同発明者がいる場合、その氏名

第四共同発明者の署名

日付

住所

国籍

郵便の宛先

**POWER OF ATTORNEY:** As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact al business in the Patent and Trademark Office connected therewith (list name and registration number)

WILLIAM S. FROMMER, Registration No. 25,506 and  
DENNIS M. SMID, Registration No. 34,930

Send Correspondence to:  
WILLIAM S. FROMMER, Esq.  
c/o FROMMER LAWRENCE & HAUG LLP  
745 Fifth Avenue  
New York, New York 10151

Direct Telephone Calls to:  
(212) 588-0800  
to the attention of:  
WILLIAM S. FROMMER

Full name of third joint inventor, if any

Toshitada DOI

Third inventor's signature

Date

16/Oct/2003

Residence

Kanagawa, Japan JPX

Citizenship

Japan

Post Office Address

c/o Sony Corporation, 7-35, Kitashinagawa 6-chome,  
Shinagawa-ku, Tokyo 141-0001 Japan

Full name of fourth joint inventor, if any

Fourth Inventor's signature

Date

Residence

Citizenship

Post Office Address